Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	"6807575".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 11:16
S2	2	"6041349".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 11:02
S3		"6049827".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 11:19
S4	2	"6219701".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 11:21
S5	13	("6289379" "6170010" "6339789" "6708209" "6625625" "7155498" "6938082").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 11:39
S6	3	("6219701" "6938082").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR :	OFF	2007/07/26 12:48

S7	87	(@ad<"20021128" or @rlad<"20021128") and (manag\$6 or monitor\$5) and identif\$6 near15 event\$1 same (metric\$1 or performanc\$4) and stor\$4 near15 event\$1 same (metric\$1 or performanc\$4) and (receiv\$4 or transmit\$4 or send\$4) near15 event\$1 same (metric\$1 or performanc\$4) and monitor\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 12:55
S8	0	(@ad<"20021128" or @rlad<"20021128") and (manag\$6 or monitor\$5) and identif\$6 near15 event\$1 same (metric\$1 or performanc\$4) and stor\$4 near15 event\$1 same (metric\$1 or performanc\$4) and (receiv\$4 or transmit\$4 or send\$4) near15 event\$1 same (metric\$1 or performanc\$4) and monitor\$5 and (metric\$1 or performanc\$4) same reponse\$1 near time\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 12:56
S9	5	(@ad<"20021128" or @rlad<"20021128") and (manag\$6 or monitor\$5) and identif\$6 near15 event\$1 same (metric\$1 or performanc\$4) and stor\$4 near15 event\$1 same response\$1 near time\$1 and (receiv\$4 or transmit\$4 or send\$4) near15 event\$1 same (metric\$1 or performanc\$4) and monitor\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 13:01
S10	0	(@ad<"20021128" or @rlad<"20021128") and (manag\$6 or monitor\$5) and identif\$6 near15 event\$1 same (metric\$1 or performanc\$4) and stor\$4 near15 event\$1 same response\$1 near time\$1 same id\$1 and (receiv\$4 or transmit\$4 or send\$4) near15 event\$1 same (metric\$1 or performanc\$4) and monitor\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 12:57
S11	0	(@ad<"20021128" or @rlad<"20021128") and (manag\$6 or monitor\$5) and (identif\$6 or determin\$4 or associat\$4) near15 relevan\$4 near15 (metric\$1 or performanc\$4) near10 event\$1 and stor\$4 near15 event\$1 same response\$1 near time\$1 and (receiv\$4 or transmit\$4 or send\$4) near15 event\$1 same (metric\$1 or performanc\$4) and monitor\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 13:04

S12	617	(@ad<"20021128" or @rlad<"20021128") and (identif\$6 or determin\$4 or associat\$4) near15 relevan\$4 near15 (metric\$1 or performanc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 13:04
S13	12	(@ad<"20021128" or @rlad<"20021128") and (identif\$6 or determin\$4 or associat\$4) near15 relevan\$4 near15 (metric\$1 or performanc\$4) near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 13:07
S14	170	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 13:17
S15	73	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 13:18
S16	22	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and response near time\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:16
S17	6	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and response near time\$1 same event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:14

S18	3	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and (process or application) near2 (id\$1 or name\$1 or identification\$1) same time\$1 same event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:15
S19	73	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:17
S20	73	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and event\$1 and (metric\$1 or performanc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:19
S21	36	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and event\$1 and (transmit\$4 or send\$4 or receiv\$4) near15 (metric\$1 or performanc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:20
S22	46	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and event\$1 and (transmit\$4 or send\$4 or receiv\$4 or obtain\$4) near15 (metric\$1 or performanc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/07/26 14:21

S23	0	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and event\$1 and (transmit\$4 or send\$4 or receiv\$4 or obtain\$4) near15 (metric\$1 or performanc\$4)and event\$1 near2 classification\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:21
S24	34	(@ad<"20021128" or @rlad<"20021128") and (determin\$4 or identif\$5 or map\$4 associat\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and event\$1 and (transmit\$4 or send\$4 or receiv\$4 or obtain\$4) near15 (metric\$1 or performanc\$4)same event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 14:34
S25	12	(@ad<"20021128" or @rlad<"20021128") and (storing or log\$4) near15 (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and event\$1 and (transmit\$4 or send\$4 or receiv\$4 or obtain\$4) near15 (metric\$1 or performanc\$4)and (transmit\$4 or send\$4 or receiv\$4 or obtain\$4) near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:18
S26	21015	(@ad<"20021128" or @rlad<"20021128") and (storing or log\$4 or buffer\$4) near15 (received or obtained) near10 (metric\$1 or performanc\$4 or operat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:21
S27	152	(@ad<"20021128" or @rlad<"20021128") and (storing or log\$4 or buffer\$4) near15 (received or obtained) near10 (metric\$1 or performanc\$4 or operat\$4) and (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4 or operat\$4) near15 event\$1 and (receiv\$4 or transmit\$4 or send\$4 or notif\$7) near10 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:23

S28	99	(@ad<"20021128" or	US-PGPUB;	OR	OFF	2007/07/26 17:24
		@rlad<"20021128") and (storing or log\$4 or buffer\$4) near15 (received or obtained) near10 (metric\$1 or performanc\$4 or operat\$4) and (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4 or operat\$4) near15 event\$1 and (receiv\$4 or transmit\$4 or send\$4 or notif\$7) near10 event\$1 and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (metric\$1 or performanc\$4 or operat\$4) near15 event\$1	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S29	23	(@ad<"20021128" or @rlad<"20021128") and (storing or log\$4 or buffer\$4) near15 (received or obtained) near10 (metric\$1 or performanc\$4 or operat\$4) and (relevan\$4 or relat\$4) near15 (metric\$1 or performanc\$4 or operat\$4) near15 event\$1 and (receiv\$4 or transmit\$4 or send\$4 or notif\$7) near10 event\$1 and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (stored or buffered or logged or received or obtained) near5 (metric\$1 or performanc\$4 or operat\$4) near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:50
S30	6	(@ad<"20021128" or @rlad<"20021128") and (storing or log\$4 or buffer\$4) near15 (received or obtained) near10 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (stored or buffered or logged or received or obtained) near5 (metric\$1 or performanc\$4) near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:51
S31		(@ad<"20021128" or @rlad<"20021128") and (storing or log\$4 or buffer\$4) near15 (received or obtained) near10 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (stored or buffered or logged or received or obtained) near5 (metric\$1 or performanc\$4) near15 event\$1 not S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:52

	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			
S32	4	(@ad<"20021128" or @rlad<"20021128") and (storing or log\$4 or buffer\$4) near15 (received or obtained) near10 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5) near5 (metric\$1 or performanc\$4) near15 event\$1 not S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:54
S33	80	(@ad<"20021128" or @rlad<"20021128") and (receiv\$4 or send\$4 or transmit\$4) near15 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5) near5 (metric\$1 or performanc\$4) near15 event\$1 not \$29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:55
S34	58	(@ad<"20021128" or @rlad<"20021128") and (receiv\$4 or send\$4 or transmit\$4) near15 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5) near5 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:55
S35	43	(@ad<"20021128" or @rlad<"20021128") and (receiv\$4 or send\$4 or transmit\$4) near15 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5) near5 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:55
S36	40	(@ad<"20021128" or @rlad<"20021128") and (receiv\$4 or send\$4 or transmit\$4) near15 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5) near5 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 not \$29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:56

			·····			
S37	0	(@ad<"20021128" or @rlad<"20021128") and (receiv\$4 or send\$4 or transmit\$4) near15 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5) near5 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 not S29 and performance near2 decrement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:56
S38	5	(@ad<"20021128" or @rlad<"20021128") and (receiv\$4 or send\$4 or transmit\$4) near15 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5) near5 (metric\$1 or performanc\$4) near15 time\$4 near3 event\$1 and monitor\$4 and manag\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:59
S39	18	(@ad<"20021128" or @rlad<"20021128") and (receiv\$4 or send\$4 or transmit\$4) near15 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5) near5 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and time near2 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 17:59
S40	32	(@ad<"20021128" or @rlad<"20021128") and (receiv\$4 or send\$4 or transmit\$4) near15 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5 or correlat\$5) near5 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and time near2 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 18:06
S41	9	(@ad<"20021128" or @rlad<"20021128") and (receiv\$4 or send\$4 or transmit\$4) near15 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5 or correlat\$5) near5 (metric\$1 or performanc\$4) near15 event\$1 near (data or information\$1) and monitor\$4 and manag\$6 and time near2 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/26 18:15

S42	14	(@ad<"20021128" or @rlad<"20021128") and (receiv\$4	US-PGPUB; USPAT;	OR	OFF	2007/07/26 18:07
		or send\$4 or transmit\$4) near15 (metric\$1 or performanc\$4 or operat\$4) and (map\$4 or associat\$4 or determin\$4 or identif\$5) near15 (relevan\$4 or relat\$5 or correlat\$5) near5 (metric\$1 or performanc\$4) near15 event\$1 and monitor\$4 and manag\$6 and time near2 event\$1 not (S38 or S39)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S43	75	(identif\$6 or determin\$4) near15 metric\$1 near15 associate\$4 near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 12:55
S44	57	(identif\$6 or determin\$4) near15 metric\$1 near15 associate\$4 near15 event\$1 and monitor\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 12:57
S45	29	(identif\$6 or determin\$4) near15 metric\$1 near15 associate\$4 near15 event\$1 and monitor\$5 and receiv\$4 near15 metric\$1 and receiv\$4 near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 12:56
S46	11	(@ad<"20021128" or @rlad<"20021128") and(identif\$6 or determin\$4) near15 metric\$1 near15 associate\$4 near15 event\$1 and monitor\$5 and receiv\$4 near15 metric\$1 and receiv\$4 near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 12:57
S47	20	(@ad<"20021128" or @rlad<"20021128") and(identif\$6 or determin\$4) near15 metric\$1 near15 associate\$4 near15 event\$1 and monitor\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:05

S48	37	(@ad<"20021128" or @rlad<"20021128") and(identif\$6 or determin\$4) near15 metric\$1 near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1 and monitor\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:10
S49	0	(@ad<"20021128" or @rlad<"20021128") and(identif\$6 or determin\$4) near15 metric\$1 near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1 and monitor\$5 and display\$4 near14 metric\$1 near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:06
S50	2	(@ad<"20021128" or @rlad<"20021128") and display\$4 near14 metric\$1 near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:06
S51	38	(@ad<"20021128" or @rlad<"20021128") and display\$4 near14 performance\$1 near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:07
S52	0	(@ad<"20021128" or @rlad<"20021128") and display\$4 near14 performance\$1 near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1 and (identif\$6 or determin\$4) near15 metric\$1 near15 associate\$4 near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:08
S53	1	(@ad<"20021128" or @rlad<"20021128") and display\$4 near14 performance\$1 near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1 and (identif\$6 or determin\$4) near15 associate\$4 near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:08

			_			
S54	2	(@ad<"20021128" or @rlad<"20021128") and display\$4 near14 performance\$1 near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1 and (identif\$6 or determin\$4) near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:09
S55	596	(@ad<"20021128" or @rlad<"20021128") and(identif\$6 or determin\$4) near15 operat\$4 near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1 and monitor\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:10
S56	721	(@ad<"20021128" or @rlad<"20021128") and(identif\$6 or determin\$4) near15 (operat\$4 or metric\$1 or performance\$1) near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1 and monitor\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:10
S57	31	(@ad<"20021128" or @rlad<"20021128") and(identif\$6 or determin\$4) near15 (operat\$4 or metric\$1 or performance\$1) near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1 and monitor\$5 and display\$4 near15 (operat\$4 or metric\$1 or performance\$1) near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:15
S58	16	(@ad<"20021128" or @rlad<"20021128") and(identif\$6 or determin\$4) near15 (operat\$4 or metric\$1 or performance\$1) near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1 and monitor\$5 and display\$4 near15 (operat\$4 or metric\$1 or performance\$1) near15 (associate\$4 or relat\$4 or relevant\$2) near15 event\$1 and troubl\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/29 13:11
S59	1	"6643613".pn. and (problem\$1 or failure\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 11:03

S60		"6643613".pn. and fail\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 11:04
S61	0	"6643613".pn. and troubl\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 11:04